

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3108	250/215-216.ccls.	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 10:58
L2	665	362/351.ccls. not 1	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 10:59
L3	2829	359/385,368.ccls.	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 10:59
L4	413	250/201.3.ccls. not 3	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:00
L5	2309	(369/44.23-44.24). ccls.	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:00
L6	3295	("near" field or nearfield (proximity or proximal) field) same (light or lighting or illumination or illuminate or illuminating or optic or optical or radiation or radiating or irradiation or irradiating) same (wavelength or wave length)	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:11

L7	90	(metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same ((size or dimension) and (width or wide or wider or widest) and (length or long or longer or longest)) same (wavelength or wave length)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:11
L8	170	(metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same ((width or wide or wider or widest) and (length or long or longer or longest)) same (wavelength or wave length) not 7	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:11

L9	26	(1 or 2) and 6 and (light or lighting or illumination or illuminate or illuminating or optic or optical or radiation or radiating or irradiation or irradiating) same spot same (generate or generating or create or creating or produce or producing or propagate or propagating or make or making or form or forming or fabricate or fabricating or manufacture or manufacturing)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:13
L10	2	(1 or 2) and 6 and (7 or 8) not 9	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:14
L11	584	6 same spot	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:14
L12	5	11 and (7 or 8) not 9 not 10	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:15
L13	3	11 same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same ((size or dimension) and (width or wide or wider or widest) and (length or long or longer or longest)) same (wavelength or wave length)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:16

L14	14	6 same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same ((width or wide or wider or widest) and (length or long or longer or longest)) same (wavelength or wave length) not 9 not 10 not 12 not 13	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:18
L15	40	(1 or 2) and (head or probe) same 6 not 9 not 10 not 12 not 13 not 14	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:23
L16	33	(3 or 4) and microscope same (head or probe) same 6 not 9 not 10 not 12 not 13 not 14 not 15	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 11:25
L17	6	(3 or 4) and (microscopy or observe or observed or observing or observation or sample or sampled or sampling) same (head or probe) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:02
L18	1054	(metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (film or layer or membrane or deposit or coating) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same (wavelength or wave	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:13

		length) not 7 not 8				
L19	17	5 and (record or recorded or recording or reproduce or reproduced or reproducing or write or writing or written or read or reading or copy or copying or copied) same (head or probe) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:15
L20	1	19 and 18	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:15
L21	16	19 not 20	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:16
L22	437	(record or recorded or recording or reproduce or reproduced or reproducing or write or writing or written or read or reading or copy or copying or copied) same (head or probe) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:17
L23	139	369/300.ccls. not 5	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:35
L24	114	850/30.ccls. not 5 not 23	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:35
L25	18	(22 or 23 or 24) and (7 or 8 or 18)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:45

L26	196	(22 or 23 or 24) and 11 not 25	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 12:51
L27	3	26 and (metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (film or layer or membrane or deposit or coating) same (opening or aperture or hole or perforation or perforate) same glass same (substrate or support or base) same (head or probe)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:03
L28	5	26 and (metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (film or layer or membrane or deposit or coating) same (opening or aperture or hole or perforation or perforate) same glass same (head or probe) not 27	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:04
L29	40	26 and (metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (film or layer or membrane or deposit or coating) same (opening or aperture or hole or perforation or	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:04

		perforate) same (head or probe) not 27 not 28				
L30	3	(22 or 23 or 24) and 6 same (head or probe or tip) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:24
L31	13	(22 or 23 or 24) and 6 same (head or probe or tip) same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29 not 30	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:26
L32	24	(22 or 23 or 24) and 6 same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29 not 30 not 31	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:27
L33	16	(22 or 23 or 24) and 6 and ("near" field or nearfield or (proximity or proximal) field) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29 not 30 not 31 not 32	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:32
L34	50	(22 or 23 or 24) and 6 and ("near" field or nearfield or (proximity or proximal) field) same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:33

L35	37	6 same (head or probe or tip) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:37
L36	21	((Mizutani-Natsuhiko or Yamada-Tomohiro). in. or (Canon).as.) and 6 and (7 or 8 or 18) not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21 not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34 not 35	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:43
L37	11	((Mizutani-Natsuhiko or Yamada-Tomohiro). in. or (Canon).as.) and (microscope or microscopy or observe or observed or observing or observation or sample or sampled or sampling) same (head or probe or tip) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21 not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34 not 35 not 36	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:46

L38	1	((Mizutani-Natsuhiko or Yamada-Tomohiro). in. or (Canon).as.) and (record or recorded or recording or reproduce or reproduced or reproducing or write or writing or written or read or reading or copy or copying or copied) same (head or probe or tip) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21 not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34 not 35 not 36 not 37	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:48
L39	5	((Mizutani-Natsuhiko or Yamada-Tomohiro). in. or (Canon).as.) and (record or recorded or recording or reproduce or reproduced or reproducing or write or writing or written or read or reading or copy or copying or copied) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21 not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34 not 35 not 36 not 37 not 38	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:48

L40	12	((Mizutani-Natsuhiko or Yamada-Tomohiro). in. or (Canon).as.) and (head or probe or tip) same 6 not 9 not 10 not 12 not 13 not 14 not 15 not 16 not 17 not 20 not 21 not 25 not 27 not 28 not 29 not 30 not 31 not 32 not 33 not 34 not 35 not 36 not 37 not 38 not 39	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 13:50
L41	1	(intensity or intensify or intense or intensely) same 6 same (metal or metallic or opaque or absorber or absorb or absorbing or blocker or block or blocking or shade or shading or dark or darken or darkening) same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same (square)	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 14:08
L42	1	(intensity or intensify or intense or intensely) same 6 same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) same (square) not 41	US- PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 14:08

L43	7	(1 or 2 or 3 or 4 or 5 or 23 or 24) and (intensity or intensify or intense or intensely) same 6 same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) not 41 not 42	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 14:10
L44	46	(intensity or intensify or intense or intensely) same 6 same (opening or aperture or hole or perforation or perforate) same (rectangle or rectangular or slit or bar or line) not 41 not 42 not 43	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2009/10/14 14:11
S50	1	("6052238").PN.	US-PGPUB; USPAT	OR	OFF	2009/10/13 20:08

10/14/09 2:14:14 PM

C:\Documents and Settings\juggles\My Documents\ EAST\ Workspaces\ 10529892
(371 National Stage of JP PCT).wsp